

Certificate of Analysis

Client Information

DEEP
8920 Lawyers RD #23210
Mint Hill, NC. 28227-8867
USA
786-668-5518

Sample Information

Sample ID: 838952
Date Received: 7/30/2025
Description: DEEP - HIM - Honey
Lot#: D07H25M2

Results

Analysis	Method	[†] MDL / LOQ	Specification	Results	UOM	Lab ID
<u>Sexual Enhancement Adulterants</u>	ARL 2.099					1
Desmethylcarbodenafil	ARL 2.099	100	Record Only	< 100	ppm	1
Sildenafil	ARL 2.099	100	Record Only	< 100	ppm	1
Tadalafil	ARL 2.099	100	Record Only	< 100	ppm	1
Thioaildenafil (Sulfoaildenafil)	ARL 2.099	100	Record Only	< 100	ppm	1
Vardenafil	ARL 2.099	100	Record Only	< 100	ppm	1

[†]Method Detection Limit (MDL):

In microbiologic testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.

[†]Limit of Quantitation (LOQ):

In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO/IEC 17025:2017 methods are available upon request. Certificate and scope are also available upon request.