SD230913-060 page 1 of 1

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Acc. L17-427-1 #85368

Sample Jeeter THCA Joints

| Sample ID SD230913-060 (84473) | Matrix Flower (Inhalable Cannabis Good) | Batch ID 090123BC // 090123CC // 090123DP // 090123MT // 090123WR // 090123AB |
|--------------------------------|---|---|
| Tested for Lifted Made | | |
| Sampled - | Received Sep 13, 2023 | Reported Sep 14, 2023 |
| Analyses executed CAN+, MWA | | |
| | | |

Laboratory note: The estimated concentration of the unknown peak in the sample is 174% | Currently PharmLabs laboratory can not confirm an unidentified peak in your chromatogram due to interference (only with highly concentrated D8 products) from which we believe to be either (+)d8-THC or d9-THC. At this time there are no reference standards available for (+)d8-THC (+)d8-THC (+)d8-THC is a different compound from the main (-)d8-THC canabinaid and, therefore, these two compounds may have different efficacies. Using the most advanced instruments and techniques available, the segmentation of (+)d8-THC and d9-THC is problematic for the scientific community as a whole. PharmLabs believes the unidentified peak to be a combination of (+)d8-THC and d9-THC with the majority, if not all, of the concentration being (+)d8-THC. Total (+/-) D8 Concentration is estimated to be: 22.82%

* CAN+ - Cannabinoids Analysis

Analyzed Sep 14, 2023 | Instrument HPLC-VWD |Method SOP-001 The expanded Uncertainty of the Cannabinoid analysis is approximately **3**.806% at the 95% Confidence Level

| Analyte | LOD mg/g | LOQ mg/g | Result % | Result mg/g |
|--|-------------|-------------|-------------|----------------|
| Cannabidivarin (CBDV) | 0.039 | 0.16 | ND | ND |
| Cannabidiolic Acid (CBDA) | 0.001 | 0.16 | 0.71 | 7.09 |
| Cannabigerol Acid (CBGA) | 0.001 | 0.16 | 6.70 | 66.95 |
| Cannabigerol (CBG) | 0.001 | 0.16 | 1.35 | 13.49 |
| Cannabidiol (CBD) | 0.001 | 0.16 | 0.20 | 1.99 |
| Tetrahydrocannabivarin (THCV) | 0.001 | 0.16 | ND | ND |
| Cannabinol (CBN) | 0.001 | 0.16 | 0.14 | 1.37 |
| Tetrahydrocannabinol (Δ9-THC) | 0.003 | 0.16 | UI | UI |
| Δ8-tetrahydrocannabinol (Δ8-THC) | 0.004 | 0.16 | 22.82 | 228.20 |
| Cannabicyclol (CBL) | 0.002 | 0.16 | ND | ND |
| Cannabichromene (CBC) | 0.002 | 0.16 | 0.28 | 2.82 |
| Tetrahydrocannabinolic Acid (THCA) | 0.001 | 0.16 | 0.05 | 0.51 |
| Total THC (THCa * 0.877 + Δ9THC) | | | 0.04 | 0.45 |
| Total THC + Δ 8THC (THCa * 0.877 + Δ 9THC + Δ 8THC) | | | 22.86 | 228.65 |
| Total CBD (CBDa * 0.877 + CBD) | | | 0.82 | 8.21 |
| Total CBG (CBGa * 0.877 + CBG) | | | 7.22 | 72.21 |
| Total Cannabinoids | | | 31.33 | 313.25 |
| | | | | *Dru Weight 9 |

MWA - Moisture Content & Water Activity Analysis

Analyzed Sep 13, 2023 | Instrument Chilled-mirror Dewpoint and Capacitance | Method SOP-008

| Analyte | LOD % | LOQ % | Result | Limit | Analyte | LOD % | LOQ % | Result | Limit |
|----------------|----------|----------|----------|---------|---------------------|----------|----------|---------------------|---------------------|
| Moisture (Moi) | | | 6.0 % Mw | 13 % Mw | Water Activity (WA) | | | 0.43 a _w | 0.85 a _w |

UI Unidentified ND Not Detected N/A Not Applicable NT Not Reported LOD Limit of Detection LOQ Limit of Otection <LOQ Detected >ULQL Above upper limit of linearity >ULQL Above upper limit of linearity CFU/Q Colong Forming Units per 1 gram TNTC Too Numerous to Count





Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager Thu, 14 Sep 2023 10:38:52 -0700

Pharm/Mare CANNABIS LABORATORY LIMS & ELN PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1
This report shall not be reprodued except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnase, treat or prevent on disease. Results are only for samples and batches indicated. Results are reported on the association within a standard in the used to diagnase, treat or prevent on disease. Results are only for samples and batches indicated. Results are reported on the association within a standard in the used to diagnase. The measurement of uncertainty is not included in the association within a standard in the association within a standard in the association of the astone of the asto

QA Testing

