



Certificate of Analysis
Compliance Test

Client Information:

MOCHI
8920 Lawyers Road
Suite 2310
Mint Hill, NC 28227

Batch # 81-40-270
Batch Date: 2024-05-07
Extracted From: Mushrooms

Order # IST240521-030001
Order Date: 2024-05-21
Sample # AAFP364
Serving Number: 1.00000

Sampling Date: 2024-05-22
Lab Batch Date: 2024-05-22
Orig. Completion Date: 2024-05-28

Initial Gross Weight: 32.825 g

Number of Units: 1
Net Weight per Package: 2500.000 mg
Sampling Method: MSP 7.3.1

Statement of Amendment: Updated Batch#



Mushroom Analytes *
Specimen Weight: 249.400 mg

Tested

SOP 13.058 (LCMS)

Mushroom Potency Summary

Analyte	LOQ (%)	Result (mg/g)	(%)
psilocybin	0.0006	<LOQ	<LOQ
baeocystin	0.00036	<LOQ	<LOQ
psilocin	0.00024	<LOQ	<LOQ
norbaeocystin	0.000405	<LOQ	<LOQ
norpsilocin	7.2E-5	<LOQ	<LOQ
aeruginascin	9.6E-5	<LOQ	<LOQ
4-hydroxy TMT	3.8E-5	<LOQ	<LOQ
4-hydroxytryptamine	9.04E-5	<LOQ	<LOQ
harmine	0.00015	<LOQ	<LOQ
harmine	9.0E-5	<LOQ	<LOQ
Total Alkaloids per Package		-	-
Total Psilocybin + Psilocin per Package		-	-

Total Alkaloids per Package	-	Total Alkaloids per Serving	-
Total Psilocybin + Psilocin per Package	-	Total Psilocybin + Psilocin per Serving	-

Prep. By: 1195	Date: 2024-05-25 18:22:13	Analyzed By: 1263	Date: 2024-05-25 14:30:58
Reviewed By: 1050	Date: 2024-05-28 11:19:18	Lab Batch #: AAFP364-477	Date: 2024-05-28 11:19:18

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity Sample not received via laboratory sampling. Revised report - see statement of amendment above.
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

