



Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
http://accuratetestlab.com  
Lic#

cookies

|                             |                            |                         |                            |
|-----------------------------|----------------------------|-------------------------|----------------------------|
| Sample ID: 2411AFL0422.2066 | Internal Lab ID: ATL-25181 | Client                  | Client Notes               |
| Strain: Apples and Bananas  |                            | CKSHD LLC               | CBG FLOWER MIXED WITH CBD. |
| Matrix: Plant               | Received: 11/20/2024       | Lic. #                  |                            |
| Type: Preroll               | Completed: 12/02/2024      | pembroke park, fl 33023 |                            |
| Unit Weight: 1 g            | Batch#: 7LAB1              |                         |                            |



Summary

|              |             |          |
|--------------|-------------|----------|
| Test         | Date Tested | Result   |
| Batch        |             | Complete |
| Cannabinoids | 11/20/2024  | Complete |

Basic Potency Complete

|           |           |                    |
|-----------|-----------|--------------------|
| 0.22%     | 4.21%     | 7.53%              |
| Total THC | Total CBD | Total Cannabinoids |

| Analyte | LOQ  | Result | Result  | Analyte          | LOQ  | Result | Result  |
|---------|------|--------|---------|------------------|------|--------|---------|
|         | %    | %      | mg/unit |                  | %    | %      | mg/unit |
| CBDVa   | 0.01 | 0.03   | 0.3     | CBN              | 0.01 | ND     | ND      |
| CBDV    | 0.01 | ND     | ND      | Δ9-THC           | 0.01 | 0.07   | 0.7     |
| CBDa    | 0.01 | 4.32   | 43.2    | Δ8-THC           | 0.01 | ND     | ND      |
| CBGa    | 0.01 | 1.64   | 16.4    | (6aR,9S)-d10-THC | 0.01 | ND     | ND      |
| CBG     | 0.01 | 0.50   | 5.0     | (6aR,9R)-d10-THC | 0.00 | ND     | ND      |
| CBD     | 0.01 | 0.43   | 4.3     | CBC              | 0.01 | 0.14   | 1.4     |
| THCV    | 0.01 | ND     | ND      | CBCa             | 0.01 | 0.23   | 2.3     |
| Δ8-THCV | 0.00 | ND     | ND      | THCa             | 0.01 | 0.16   | 1.6     |
| THCVa   | 0.01 | ND     | ND      | Total            |      | 7.53   | 75.3    |

Document ID: ATL-225, Rev 05, Effective Date: 03 October 2023; Date Tested: 11/20/2024

|                                      |                                    |                              |
|--------------------------------------|------------------------------------|------------------------------|
| NT<br>Not Tested<br>Moisture Content | NT<br>Not Tested<br>Water Activity | Not Tested<br>Foreign Matter |
|--------------------------------------|------------------------------------|------------------------------|



Paulo Gonzalez  
Laboratory Manager  
12/02/2024

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com

